

**Notice of Allowability**

Application No.

10/683,765

Applicant(s)

STRAYER, MARK

Examiner

Art Unit

Hae M. Hyeon

2839

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Proposed Amendment filed on 2-4-05.
2. ☒ The allowed claim(s) is/are 1-22,24-27 and 30.
3. ☒ The drawings filed on 10 October 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

*Hae Moon Hyeon*  
**HAE MOON HYEON**  
**PRIMARY EXAMINER**

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with the attorney Dave R. Hofman on Friday, February 04, 2005.

The application has been amended as follows: In the Amendment filed on December 16, 2004

- Claim 22, lines 10, "at least one" has been changed to -- a plurality of --.
- Claim 22, line 11, "upstream USB port" has been changed to -- upstream USB ports --.
- Claim 22, line 11, "at least one downstream" has been changed to -- a plurality of downstream --.
- Claim 22, lines 11-12, "port interconnected with the at least one upstream USB port:" has been replaced with -- ports, wherein each of the plurality of downstream USB ports is configured to communicated with: a predetermined one of the plurality of upstream USB ports when the predetermined one and another one of the plurality of upstream USB ports are simultaneously accessed; and an accessed one of the plurality of upstream USB ports when the predetermined one and another one of the plurality of upstream ports are not simultaneously accessed; --.
- Claims 23 and 31 have been cancelled.

### **REASON FOR ALLOWANCE**

2. The following is an examiner's statement of reasons for allowance: In combination with all the limitations recited in the independent claim, all the prior arts do not show a power harness comprising a plurality of externally accessible universal serial bus (USB) ports contained in a housing, the plurality of USB including first and second upstream USB ports and a plurality of downstream USB ports, wherein the plurality of downstream USB ports are each configured to communicated with an accessed one of the first and second upstream USB ports when only one of the first and second upstream USB ports is accessed; and a predetermined one of the first and second upstream USB ports when both of the first and second upstream USB ports are accessed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hae M. Hyeon whose telephone number is 571-272-2093. The examiner can normally be reached on Mon.-Fri. (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tulsidas C. Patel can be reached on (571) 272-2098. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2839

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hae M Hyeon  
Primary Examiner  
Art Unit 2839

hnh

*hnh*

*Hae Moon Hyeon*